


ENDOTM

Introduction	3
Product features	4
Package contents	5
Dimensions	5
Versatile - bike styles	6
Setting out suggestions	7
Installation	9
Drilling template	12





Introduction



CYCLOC

Store your bike with style

Cycloc's unique ability to carefully combine considered thought with a twist of poetic spirit to create a range of simple, playful and practical products has earned it global recognition with numerous awards and accolades.

Founded in 2006, Cycloc operates from their design studio in London's creative East End and a manufacturing facility in the UK. A team of skilled and enthusiastic distributors and retailers provide support globally.

ENDO

Fold flat vertical cycle storage

- Attractive, vertical cycle storage, for home, office or retail applications.
- Ideal for high density installations with little space, secure four point fixing, fixings included.
- Protect your wheels and wall with wide rubber contact points, front & rear wheel pad included.
- Hollow hinge accommodates a conventional bicycle lock.
- Available in 7 colours.

Endo wins best in categoriy test, Cycloc Plus Magazine
"When folded out it was the easest hooked rack use"
Cycling Plus #288






















Product features

Main support unit






Wheel support and pad.



Secondary wheel pad.



Facility to lock.






Package contents



Dimensions (in mm)





$\textbf{ENDO}^{^{\text{\tiny TM}}}$

Versatile - bike Style









Road bike

Mountain bike

Folding bike







Small wheel bike


Step-through bike

Childrens bike




ENDOTM

Setting out suggestions (in mm)










^{*} see installation




ENDOTM

Setting out suggestions (in mm)









^{*} see installation



ENDOTM

Installation

Tools required



Bike position



0 - 15 Kg




15 - 20 Kg (max)



ENDOTM

Installation

Main support





ENDOTM

Installation

Secondary wheel pad - Option A or B









B



















Drilling template (in mm)



NOTE:

IF PRINTING THIS PAGE FULL SIZE THE DIMENSIONS ARE 100 x 51 mm.